

OFFICE OF THE BIDS AND AWARDS COMMITTEE

REQUEST FOR QUOTATION (SMALL VALUE PROCUREMENT) RFQ 2022-74

The City Government of Balanga, through its Bids and Awards Committee (BAC), invites suppliers/manufacturers/distributors/contractors to submit Proposals specific for the project below:

| 100-22-05-0661 |
|--|
| Supply and Delivery of Chainsaw, Trimmer, Battery and |
| Charger to be used by the City Environment and Natural |
| Resources Office and City General Services Office |
| ₽ 226,300.00 |
| 3 calendar days |
| May 21 to 23, 2022 |
| May 24, 2022 at 3:00 P.M. |
| May 24, 2022 at 4:00 P.M. |
| |

Procurement will be conducted through Small Value Procurement, an alternative method of procurement specified and prescribed under Rule XVI (Alternative Methods of Procurement), Section 53.9 of the Revised Implementing Rules and Regulations of Republic Act No. 9184 (RA 9184), otherwise known as Government Reform Procurement Act.

Interested suppliers are required to submit the following requirements: (1) valid Mayor's/Business Permit; (2) PhilGEPS Registration Number; (3) Income/Business Tax Return; (4) Omnibus Sworn Statement; (5) Registration Certificate from SEC, Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives; and (6) Price Quotation. All documents must be submitted in a sealed envelope showing the control number and title of the project being quoted and must be submitted directly to the BAC Secretariat at the City Planning and Development Office. Also, proposal sent through facsimile will not be honored.

The City Government of Balanga reserves the right to reject any or all the bids, waive any defect or informality therein, accept the bid and award the contract to the most advantageous offer to the City Government of Balanga, for and in behalf of the project. The City Government of Balanga assumes no responsibility to compensate or indemnify the bidder for any expense or loss that may be incurred in the preparation of the bid nor does it guarantee that an award will be made.

For further information, please refer to:

VANESSA M. AGUILAR

BAC Secretariat Balanga City Hall, Brgy. Poblacion, City of Balanga, Bataan Tel. No. (047) 237-9692 / 237-0704 / 237-0697 bac.cob2020@gmail.com

Approved by:

ENGR. MARILEN Z. ALONZO Chairman, Bids and Awards Committee



OFFICE OF THE BIDS AND AWARDS COMMITTEE

REQUEST FOR QUOTATION (SMALL VALUE PROCUREMENT) RFQ 2022-74

Title:Supply and Delivery of Chainsaw, Trimmer, Battery and Charger to be used by the City
Environment and Natural Resources Office and City General Services Office

Please quote your lowest government price and brand name/model for the following items specified below:

| Item No. | Qty. | Unit | Description | Brand Name / Model Offered (if applicable) | Unit Cost | Total Cost |
|-------------|------|-------|--|--|--------------|---------------|
| 1 | 3 | units | STRING TRIMMER, 15 in. cutting swath with 0.080 in. line, gear drive design powers through tough overgrowth, 15 in. cutting swath with 0.080 in. line (also accepts 0.095 in.), lightweight and ergonomic design maximizes control during operation, high-efficiency brushless motor maximizes run time and motor life, variable speed trigger with high/low speed control for added power or extended run time, designed to withstand everyday heavy-duty usage, includes auxiliary handle and spool | | | |
| 2 | 3 | units | BRUSHLESS CHAINSAW, 60-Volt MAX Chainsaw features a low kick back 16 in, Oregon, Bar and Chain for both construction and outdoor cutting applications, Its tool-free chain tensioning and bar tightening knob enable proper bar clamping force and it features auto-oiling for continuous lubrication. Battery and charger sold separately. Low kick back 16 in, Oregon bar and chain for construction and outdoor cutting applications, Auto-oiling for continuous lubrication, Quarter- turn oil cap for quick oil re-fills, Up to 70 cuts per charge on a 6 in. x 6 in., Chain brake for kick back protection, Tool-free chain tensioning and bar tightening knob for proper bar clamping force, Includes hard bar cover | | | |
| 3 | 1 | unit | SPEED SANDER, 20-Volt MAX XR brushless cordless 1/4 sheet variable speed sander provides you with the power and run-time needed to get the job done, A variable-speed dial provides speed control from 8,000 OPM to 14,000 OPM for a variety of jobs, handed locking dust bag attaches securely to the sander to aid in dust collection or the user can attach the sander directly to the DWV010 or DWV012 dust collectors (sold separately), Rubber over mold grip provides | | | |



OFFICE OF THE BIDS AND AWARDS COMMITTEE

| | | 1 | | | |
|---|---|------|--|--|--|
| | | | comfortable sanding. Paper clamp designed to hold paper securely and for ease of installation. Battery and charger sold separately., Dust port is designed to fit directly to the DWV010 or DWV012 dust collectors (sold separately), To attach dust port to other vacuum systems with 1-1/4 in. hoses, use DWV9000 universal quick connector (sold separately), Long dust chute (not included) part number N684701 for use with 6 Ah batteries and larger, Paper clamp designed to hold paper securely and allow for easy installation, Dust- sealed switch to protect against dust ingestion for long switch life, Texturized rubber over mold grip for comfortable sanding, 1-handed locking dust bag | | |
| 4 | 1 | unit | MID RANGE IMPACT WRENCH WITH DETENT PIN ANVIL,20-Volt MAX XR Cordless Brushless 1/2 in., Mid-Range Impact Wrench with Detent Pin Anvil (Tool-Only) The 20-Volt MAX XR 1/2 in, Mid-Range Cordless Impact Wrench with Detent Pin Anvil delivers up to 330 ft./lbs, maximum of fastening torque and a lightweight, ergonomic design, This tool also features Precision Wrench Control, which helps to prevent over tightening in forward and fastener run-off in reverse This Mid-Range Cordless Impact Wrench is ideal for grooved couplings, pipe flanges, wheel lugs, concrete anchor setting and many other applications where a lot of torque is needed in a compact space, Up to 330 ft./lbs. maximum of fastening torque at only 3.48 lbs., Includes the new precision wrench control feature, which helps add more control when using the tool in forward and reverse, in forward, the tool will pause before impacting to help prevent over tightening, in reverse, the tool lowers speed when fastener is loose to help prevent run-off,3 mode settings to complete a variety of applications, built brushless motor for increased efficiency and runtime versus brushed model, Variable speed trigger helps to provide speed control * LED light to help illuminate dimly lit areas, Compact and lightweight design for comfort when working in tight spaces | | |
| 5 | 1 | unit | BRUSHLESS 3 SPEED OSCILLATING MULTI TOOL, 20-Volt MAX XR Cordless Brushless 3- Speed Oscillating Multi-Tool (Tool Only) .This 20- Volt MAX Brushless cordless 3-speed oscillating multi-tool includes a universal accessory adapter and 2 wood cutting blades to help get your project started. The DCS356 oscillating multi-tool has a powerful brushless motor providing up to 57% | | |



OFFICE OF THE BIDS AND AWARDS COMMITTEE

| | | 1 | 1 | 1 | ī |
|---|---|------|---|---|---|
| | | | more run time over a similar brushed tool. The 3- | | |
| | | | speed selector allows users to choose their speed | | |
| | | | setting based on application. The Quick-Change | | |
| | | | accessory system allows you to change blades | | |
| | | | quickly and easily, and with the universal | | |
| | | | accessory adapter, it's compatible with most | | |
| | | | oscillating tool accessories. The DUAL-GRIP | | |
| | | | variable speed trigger provides ultimate speed | | |
| | | | and application control. The oscillating tool guide | | |
| | | | system allows you to customize the depth or | | |
| | | | height for accurate repeatability, and the bright | | |
| | | | LED light illuminates dark work spaces. Battery | | |
| | | | and charger sold separately. 3-speed selector | | |
| | | | allows users to choose their speed setting based on | | |
| | | | application. Brushless motor delivers up to 57% | | |
| | | | more run time over brushed. Dual-grip variable | | |
| | | | speed trigger gives users ultimate speed and | | |
| | | | application control. Universal accessory adapter | | |
| | | | for use with most oscillating tool accessory brands. | | |
| | | | Quick-change accessory system allows blades and | | |
| | | | attachments to be changed quickly without | | |
| | | | wrenches | | |
| | | | COMPACT RECIPROCATING SAW, 20-Volt | | |
| | | | MAX XR Cordless Brushless Compact | | |
| | | | Reciprocating Saw (Tool-Only) | | |
| | | | The T DCS367B 20-Volt MAX XR Cordless | | |
| | | | Reciprocating Saw is a lightweight, compact saw | | |
| | | | designed to make cutting in between studs and in | | |
| | | | other tight spots easier than with traditional | | |
| | | | reciprocating saws. The brushless motor provides | | |
| | | | up to 2.5X more run time than other cordless saws | | |
| | | | to get the job done. With a $1-1/8$ in. stroke length | | |
| | | | and a variable speed trigger delivering up to 2,900 | | |
| | | | strokes per minute, this reciprocating saw is fast | | |
| | | | and efficient. It also features a keyless, lever-action | | |
| | | | 4-position blade clamp for quick and easy blade | | |
| 6 | 1 | unit | changes in 4 directions for a variety of applications | | |
| | | | including flush cutting. The cordless reciprocating | | |
| | | | saw has a bright LED light with spotlight mode to | | |
| | | | illuminate dark and enclosed work areas. Tool | | |
| | | | only. Battery pack and charger sold separately. Up | | |
| | | | to 2.5X more runtime than previous cordless | | |
| | | | reciprocating saw models. Compact 14.5 in. L fits | | |
| | | | in between studs and in other tight spots other | | |
| | | | saws can't reach. DCF887 Cordless Impact Driver | | |
| | | | has a DEWALT-built brushless motor for longer | | |
| | | | run time. DCS570 Cordless Circular Saw uses a 7- | | |
| | | | 1/4 in. blade to provide 2-9/16 in. cutting capacity | | |
| | | | at 90 degree. 1-1/8 in. stroke length. Variable | | |
| | | | speed trigger delivers up to 2,900 SPM. Bright | | |
| | | | LED light to illuminate dark work areas | | |
| | | | | | |



OFFICE OF THE BIDS AND AWARDS COMMITTEE

| 7 | 1 | unit | 3AH BATTERY, 20-Volt MAX Compact Lithium- Ion 3.0Ah Battery Pack with 12-Volt to 20-Volt MAX Charger The DCB230C includes a 3.0 Amp Hour Lithium- Ion battery pack and charger. 3.0Ah capacity provides run time needed for high demand applications. This pack charges in 45-minutes or less. * Same runtime and power in a lighter, shorter package compared to DCB200 * 33% more runtime than DC9096 18-Volt battery * 22% lighter (1.06 lbs.) than DCB200 * No memory and virtually no self-discharge for maximum productivity and less downtime * 3 LED fuel gauge to quickly check state of charger on battery * Part of the 20-Volt max system * 3.0 Amp hour capacity * Diagnostics with LED indicator for battery charge status of charged, charging, power line problem, replace pack or battery temperature problem * Charges DEWALT 12-Volt to 20-Volt max lithium-ion batteries | | |
|---|---|-------|---|--|--|
| 8 | 1 | unit | 20-Volt MAX Compact Lithium-Ion 2.0Ah Battery Pack, (2-Pack) Keep your 20-Volt power tools always powered and ready to go on the job site with extra battery packs. The 20-Volt MAX Compact Lithium-Ion Batteries are compatible with the complete line of 20-Volt MAX tools and accessories. These batteries are backed by a 3-year limited manufacturer warranty and 2-year free service contract for added peace of mind. * 2 batteries included * 3-LED fuel gauge system for immediate feedback on the state of charge * No memory and virtually no self-discharge for maximum productivity and less downtime * Lightweight design for portability * Quick 45-minute charge time * 2.0Ah capacity * Compatible with the entire line of 20-Volt MAX tools (sold separately) | | |
| 9 | 3 | units | 5AH BATTERY 20-Volt MAX XR Premium Lithium-Ion 5.0Ah Battery Pack, Keep your 20- Volt tools running longer with the 20-Volt MAX Lithium-Ion Premium Battery Pack. This battery is compatible with the complete line of DEWALT 20- Volt MAX tools. This battery is backed by a DEWALT 90-day money-back guarantee and 3- year free service contract | | |



OFFICE OF THE BIDS AND AWARDS COMMITTEE

| 10 | 1 | unit | Multi-Port Simultaneous Fast Charger, 12- Volt/20-Volt/60-Volt MAX 4-Port Lithium Ion Battery Charger. This battery charger is a 4-Port fast charger that charges 12-Volt MAX, 20-Volt Max, and Flex volt 20-Volt/60-Volt Max batteries at the same time. The rapid charger quickly charges a 4.0 Ah 20-Volt MAX Battery in 40- minutes and 6.0 Ah 20-Volt Max battery in 60- minutes. It is also designed to fit our Tool Connect Tag. The DCB104 multi-charger also features thru- hole wall mounts so it can be wall mountable in no time at all. Simultaneous battery charger; all ports charge at the same time. Charges 12-Volt MAX, 20- Volt Max and FLEXVO | |
|--------|-----------|-----------|---|--|
| Delive | ery Perio | od within | e () calendar days from receipt of P.O. | |

I have the honor to offer my prices for each on the above articles as indicated.

| Business Name: |
|------------------------------------|
| Address: |
| Contact Number: |
| Email address: |
| Name of Supplier's Representative: |
| Signature / Date: |